

ORDINANCE NO. 2025 - 12-15

AN ORDINANCE AMENDING SECTION 307, FENCING, OF THE VILLAGE OF RINGWOOD'S ZONING ORDINANCE

PURSUANT TO ITS CONSTITUTIONAL AND STATUTORY AUTHORITY, BE IT
ORDAINED BY THE PRESIDENT AND BOARD OF TRUSTEES OF THE VILLAGE OF
RINGWOOD, ILLINOIS, as follows:

SECTION 1: Section 307, *Fencing*, of the Ringwood Zoning Ordinance shall be
amended as follows:

307 FENCING

1. A building permit is required for all types of fences.

2. Fences allowed. Fences in all zoning districts, A-1 (less than one acre) are allowed
only in that part of the rear yard which abuts upon the rear principal building line of the
Principal Building or Structure and whose area may extend from said building line to the
rear lot line, provided however that such fences are prohibited in the remainder of the rear
yard as depicted in Exhibit A which is attached hereto and incorporated herein by
reference. Support members shall be on the side of the fence facing the property so that
the finished or "good" side of the fence faces adjacent property. Fences may not impede
the flow or surface drainage.

3. All fences within the Village shall abide by the requirements depicted on Exhibit A of
this Section.

4. Fence Regulations:

Height

- The maximum height of a see-through fence in residential, estate, and rural
residential zoning lots is four feet. A see through fence is designed and
constructed with at least 50% of its surface area as open space of uniform
distribution, when viewed from a right angle. Black decorative aluminum
fences are allowed in all zoning districts. All residential, B-1 and B-2 zoning
districts are limited to four feet (4') in height and fences up to eight feet (8') in
height are allowed in the B-3 and I-1 zoning districts. Picket or split rail
fences are only allowed in the R-1 Single Family District and must be made of
wood.
- The maximum height permitted for any solid fence is six feet (6'). A solid
fence is designed and constructed with greater than 50% of its surface area as
opaque material of uniform distribution, when viewed from a right angle.
These types of fences are only allowed around trash enclosures or as a screen
between schools, daycares and commercial or industrial structures.
- Areas of the Village identified and included in the Downtown Plan, will be

required to use the decorative black aluminum fence; max height 4 feet.

5. Images of approved fence types are included in Exhibit A

6. Construction

- Fences must be constructed finished side facing out.
- Wire and chain link fences are prohibited in all zoning districts.
- Barbed wire, electrical, and broken glass topped masonry walls are prohibited in all zoning districts.

SECTION 2: If any section, paragraph, subdivision, clause, sentence or provision of this Ordinance shall be adjudged by any Court of competent jurisdiction to be invalid, such judgment shall not affect, impair, invalidate or nullify the remainder thereof, which remainder shall remain and continue in full force and effect.

SECTION 3: All ordinances or parts of ordinances in conflict herewith are hereby repealed to the extent of such conflict.

SECTION 4: This Ordinance shall be in full force and effect upon its passage, approval and publication in pamphlet form (which publication is hereby authorized) as provided by law.

Passed this 18th day of December, 2025, by a roll call vote as follows:

	Ayes	Nays	Absent	Abstain
Trustee Missy Robel	<u> </u>	<u> </u>	<u>✓</u>	<u> </u>
Trustee Tim Meseck	<u>✓</u>	<u> </u>	<u> </u>	<u> </u>
Trustee Karen Morgan	<u>✓</u>	<u> </u>	<u> </u>	<u> </u>
Trustee Jason Meyer	<u>✓</u>	<u> </u>	<u> </u>	<u> </u>
Trustee Gary Reinwall	<u> </u>	<u> </u>	<u>✓</u>	<u> </u>
Trustee Katie Herdus	<u>✓</u>	<u> </u>	<u> </u>	<u> </u>
President Rick Mack	<u>✓</u>	<u> </u>	<u> </u>	<u> </u>

APPROVED THIS 18th DAY OF December, 2025

Richard E. Mack
Village President Rick Mack

(SEAL)
ATTEST: Elaine Fung
Village Clerk Elaine Fung

Published: December 18, 2025

C E R T I F I C A T I O N


I, ELAINE FUNG, do hereby certify that I am the duly appointed, acting and qualified Clerk of the Village of Ringwood, McHenry County, Illinois, and that as such Clerk, I am the keeper of the records and minutes and proceedings of the President and Board of Trustees of said Village of Ringwood.

I do hereby further certify that at a regular meeting of the President and Board of Trustees of the Village of Ringwood, held on the 18th day of December, 2025, the foregoing Ordinance entitled AN ORDINANCE AMENDING SECTION 307, FENCING, OF THE VILLAGE OF RINGWOOD'S ZONING ORDINANCE, was duly passed by the President and Board of Trustees of the Village of Ringwood.

The pamphlet form of Ordinance No. 2025-12-15, including the Ordinance and a cover sheet thereof, was prepared, and a copy of such Ordinance was available from the Village Clerk, commencing on the 18th day of December, 2025, and will continue for at least 10 days thereafter. Copies of such Ordinance are also available for public inspection upon request in the office of the Village Clerk.

I do further certify that the original, of which the attached is a true and correct copy, is entrusted to me as the Clerk of said Village for safekeeping, and that I am the lawful custodian and keeper of the same.

Given under my hand and the official seal of the Village of Ringwood this 18th day of December, 2025.


Elaine Fung
Elaine Fung, Village Clerk
Village of Ringwood,
McHenry County, Illinois

(SEAL)



EXHIBIT A FENCES

Permit Application Guidelines

1. Submit to the Building Department the following for review:
 1. Building Permit Application
 2. Plat of Survey or site plan locating any existing and proposed fencing and gates.
 3. Copy of contractor proposal or scope of work. A description of the fence shall be included including total length, height, and design/style of fencing.
 4. HOA approval (if applicable).
 - All construction must comply current adopted codes and ordinances of the Village of Ringwood.
 - Call J.U.L.I.E. (8-1-1) or 1-800-892-0123 to locate the underground utility lines prior to digging.

Inspections Required

Final Inspection – When the project is completed.

*A minimum of twenty-four (24) hour notice is required and may be scheduled by calling HR Green at 815-759-8344.

FENCE REGULATIONS

Height

- The maximum height of a see-through fence in residential, estate, and rural residential zoning lots is four feet. A see through fence is designed and constructed with at least 50% of its surface area as open space of uniform distribution, when viewed from a right angle. Black decorative aluminum fences are allowed in all zoning districts. All residential, B-1 and B-2 zoning districts are limited to four feet (4') in height and fences up to eight feet (8') in height are allowed in the B-3 and I-1 zoning districts. Picket or split rail fences are only allowed in the R-1 Single Family District and must be made of wood.
- The maximum height permitted for any solid fence is six feet. A solid fence is designed and constructed with greater than 50% of its surface area as opaque material of uniform distribution, when viewed from a right angle. These types of fences are only allowed around trash enclosures or as a screen between schools, daycares and commercial or industrial structures.
- Areas of the Village identified and included in the Downtown Plan, will be required to use the decorative black aluminum fence; max height 4 feet.

The following images provide examples of fence types, based on openness:

A. Open Style Fences (more than 50% open):



Aluminum Fence



Picket Fence




Split Rail Fence



EXHIBIT A FENCES

B. Solid Style Fence (less than 50% open):



Shadow Box Privacy Fence

Construction

- Fences must be constructed finished side facing out.
- Wire and chain link fences are prohibited in all zoning districts.
- Barbed wire, electrical, and broken glass topped masonry walls are prohibited in all zoning districts.

Location

- Fences may only be located in the rear yard and contained within the rear principal building line to the rear property line. See "Exhibit A".

EXHIBIT A

Front Lot Line

